


TPWLKW

TPWLKW "LOGISTIC" SERIES PALLET TRUCK SCALE WITH WIDE FORKS



Pallet truck scale, with built-in electronic weighing, fitted with forks 680mm width, which making it ideal for the handling of pallets in the Food & Chemical Industry Sector. Fitted with rechargeable extractable battery. Available also with a built-in printer as well as CE-M DOUBLE RANGE approved.

Working in cooperation with:

MWS LTD

UNIT 17 HUTCHINSON STREET - LE2 OBD - LEICESTER
Tel. 0044-1162426910 Fax. 0044-1162426911
andrew@mws.ltd.uk

The best solution
for advanced industrial
applications

MAIN FEATURES

- Maximum lifting capacity: 2000 kg.
- Accuracy: +/- 0.1% of the maximum capacity in the versions for internal use.
- Accuracy: +/- 0.05% of the maximum capacity in the "M" approved versions.
- Forks dimensions 1150 x 680 x 85 mm.
- Weighs about 134 kg.
- Structure in extra thick steel and oven-fire painted mechanics.
- Steering wheels and double loading poliurethane rollers.
- 4 shear-beam load cells, with IP67 protection degree.
- Weight indicator in IP65 STAINLESS STEEL waterproof case, which is easy to clean and resistant to harsh and corrosive environments; large 25mm LCD display high contrast digits, which are clearly visible even in poor lighting conditions and with low temperatures, and waterproof membrane keyboard, with 17 functional keys.
- Configuration, calibration and diagnostics from keyboard or PC with DINITOLS.
- Power supply through extractable rechargeable battery mounted on the pallet truck column.
- The operating time is of about 80 hours of continuous use or one month with the tipycal non continuous use, thanks to its auto switch-off function.
- Programmable auto power saving function. Battery level indication.
- Equipped with 230Vac 50 Hz battery charger (recharging time is about 8 hours).
- Configurable RS232/C bidirectional port for connection to a printer, with customisable print format.
- Configurable RS232/C bidirectional port for PC, modem radio or portable terminal.
- IR input for remote control management.
- Fitted with thermal printer in the TPWLKWP and TPWLKWPM versions, with Date&Time card.

MAIN FUNCTIONS



- Zeroing, Tare, Printing
- High Resolution Weighing x 10
- Net/Gross or lb/kg conversion
- Accumulation
- Formulation
- +/- Checkweighing
- Percentage weighing
- Counting (Max. resolution of 1.500.000 divisions)
- Hold and Peak
- Set Point Control (with optional interface)

OPTIONS ONLY AVAILABLE AT TIME OF ORDER

- Extractable rechargeable battery.
- Modem radio option box / WI-FI interface.
- Alibi memory with time-date
- 2 inputs + 2 outputs configurable on gross or net weight.
- Stainless steel forks / Parking brake.
- Special steering wheels.
- Special fork length from 850 to 1500 mm (upon price estimate).
- Version with capacities and/or special divisions or high resolution (upon price estimate).

VERSIONS

Versions available

Code	Max (kg)	d (kg)	CE-M 3000e (kg)
TPWLKW	500 / 1000 / 2000	0,2 / 0,5 / 1	
TPWLKWM 	1000 / 2000		0,5 / 1
TPWLKWP	500 / 1000 / 2000	0,2 / 0,5 / 1	
TPWLKWPM 	1000 / 2000		0,5 / 1

Please take note that the column and the handle-bar require assembly.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



MWS LTD

UNIT 17 HUTCHINSON STREET - LE2 OBD - LEICESTER

Tel. 0044-1162426910 Fax. 0044-1162426911

andrew@mws.ltd.uk

SALES AND TECHNICAL ASSISTANCE SERVICE